



P&I®



PRODUCTS & IDEAS (INDIA) PVT. LTD.

**PREMIUM QUALITY COMMERCIAL KITCHEN & BAKERY EQUIPMENT
PRODUCT CATALOGUE**

equipment
with
heart



Our Brands



Exclusive Dealer



Authorised Dealer



Display Food Warmers



SMALL

Power : 910W
Size : 660x480x600mm



BIG

Power : 1300W
Size : 940x480x620mm



IMPORTED

DOUBLE LAYER


Power : 300W
Size : 550x400x420mm

Two Door



Two Door (Small)

Power : 1500W
Size : 660x480x640mm



Two Door (Big)

Power : 1800W
Size : 900x480x640mm

Round Glass (Luxury)



SMALL

Power : 1500W
Size : 660x530x590mm

Vertical Round Glass



SMALL

Power : 850W
Size : 350x425x550mm



BIG

Power : 850W
Size : 350x425x730mm



JUMBO

Power : 1000W
Size : 660x450x520mm



BIG

Power : 1800W
Size : 900x530x590mm

Sandwich Grillers



Griller - Small

Size : 305x395x210mm
Power : 1.8Kw
Voltage : 220V

with
Non-Stick
Ribbed
Grilling
Plates



Griller - Small Double

Size : 575x395x210mm
Power : 1.8Kw+1.8Kw
Voltage : 220V

with
Non-Stick
Ribbed
Grilling
Plates



Griller - Big

Size : 425x395x210mm
Power : 2.2Kw
Voltage : 220V

with
Non-Stick
Ribbed
Grilling
Plates



Griller - Big Double

Size : 845x395x210mm
Power : 2.2Kw+2.2Kw
Voltage : 220V

with
Non-Stick
Ribbed
Grilling
Plates



Sandwich Griller (Patty Type)



Power : 1.5Kw
Size : 435x410x290mm

Crepe Machine



Power : 3.0Kw
Size : 520x450x220mm

Wrap Griller



Size : 305x395x210mm
Power : 1.8Kw
Voltage : 220V

Plain Griller



Size : 425x395x210mm
Power : 2.2Kw
Voltage : 220V



Chocolate Fountains



Semi Professional

Professional (5 Layer)

Professional (6 Layer)

Semi Professional

Power : 210W
Temp : 40-60°C
Size: 33x60cm (Height)

Professional (5)

Power : 230W
Temp : 30-150°C
Size: 33x68cm (Height)

Professional (6)

Power : 280W
Temp : 30-150°C
Size: 36x82cm (Height)

Chocolate Tempering Machine



Power : 400w
Capacity : 5 ltrs.
Temp. Range : 30-90°C
Size: 420x320x470mm

Power : 600w
Capacity : 10 ltrs.
Temp. Range : 30-90°C
Size: 420x320x600mm

Chocolate Warmers - Digital



1.5 Ltr.

Power : 250W
Specs : 1.5 ltrs.
Size : 280x180x295mm



1.5x2 Ltr.

Power : 250W
Specs : 1.5x2 ltrs.
Size : 345x285x295mm



3 Ltr.

Power : 250W
Specs : 3 ltrs.
Size : 345x285x295mm

Non-Digital



1.5x2 Ltr.

Power : 300W
Specs : 1.5x2 ltrs.
Size : 310x410x220mm

Sauce Pump



1 Tank

Cap. : 2.2 ltrs.
Size : 140x260x370mm

2 Tank

Cap. : 2.2 ltrs. x 2
Size : 260x260x370mm



Hot Chocolate Dispensers



1 Tank

Cap. : 2.35 ltrs.
Power : 150w
Size : 265x400x370mm


2 Tank

Cap. : 2.35 ltrs. x 2
Power : 300w
Size : 500x400x370mm



Milk Warmer

- SS-304 GRADE WATER COMPARTMENT
- SS-304 GRADE MILK VESSEL
- INDIRECT HEATING



SMALL

Power : 2000W
Size : 315x490mm
Capacity of milk : 8 Ltrs.
Capacity of water : 25 Ltrs.

BIG

Power : 1500W
Size : 450x350x540mm
Capacity : 12 Ltrs.



Fly Catcher

Power : 18W
Size : 53.5x32x12.5mm



Drink Mixer

Power : 400W
Size : 295x255x530mm



Power : 800W
Size : 330x160x500mm



Sauce Dispenser

SS-304

Size: 1/2 oz., 1/3 oz., 2/3 oz., 1 oz.



Ice Crushers With Copper Motor



Eco

Power : 300W
Size : 325x200x300mm



Semi Deluxe

Power : 250W
Size: 360x290x310mm



Deluxe

Power : 300W
Size: 390x290x340mm



PI-300 HD

Power : 350W
Size: 420x210x695mm



PI-300 FD

Power : 300W
Size: 430x260x310mm



Juicers



Citrus

Power : 180W



Centrifugal

Power : 1400W
Size : 350x270x465mm



Heavy Duty

Power : 370W
Output : 90-100 kg/hr.
Size : 360x285x420mm

Heavy Duty Big

Power : 550W
Output : 100-120 kg/hr.
Size : 430x350x450mm



Ice Shaver



Power : 180W
Size: 375x280x435mm

Ice Cutter



Power : 300W
Output : 120 kg/hr.
Size : 285x380x520mm

Ice Crusher with Bin



Power : 350W
Output : 300 kg/hr.
Size : 470x360x850mm

ELECTRIC BAKING OVENS



**1 Deck
1 Tray**
electric baking
oven

YCD-1D

Power : 4.4Kw/220V
Size : 915x700x400mm



**1 Deck
1 Tray**
with digital
temperature
control

**YCD-1DT
(with SS body)**

Power : 4.4Kw/220V
Size : 915x700x400mm

**1 Deck
2 Tray**
electric baking
oven

WITH DIGITAL TIMER
88:88



YCD-2D

Power : 6.6Kw/220V
Size : 1210x810x520mm



WITH
NEW
DIGITAL PANEL

**1 Deck
2 Tray**
electric baking
oven
(SS body)

WITH DIGITAL TIMER
88:88



**YCD-2D (full SS)
(with Full Glass Door)**

Power : 6.6Kw/220V
Size : 1210x810x520mm

WITH DIGITAL TIMER
88:88

**1 Deck
2 Tray**
electric baking
oven (Digital)

**YCD-2D
(Digital Touch Pad)**

Power : 6.6Kw/220V
Size : 1210x810x520mm



WITH DIGITAL TIMER
88:88

**1 Deck
3 Tray**
electric baking
oven

YCD-3D

Power : 9.0Kw/440V
Size : 1610x810x520mm



**2 Deck
2 Tray**
electric baking
oven

WITH DIGITAL TIMER
88:88



WFF-202D

Power : 8.8Kw/220V
Size : 915x700x800mm

**2 Deck
4 Tray**
electric baking
oven

WITH DIGITAL TIMER
88:88



YCD 2-4D

Power : 13.2Kw/440V
Size : 1210x810x1280mm

**3 Deck
6 Tray**
electric baking
oven

WITH DIGITAL TIMER
88:88



WITH
NEW
DIGITAL PANEL



YCD 3-6D

Power : 19.8Kw/440V
Size : 1210x810x1500mm

Electric Baking Oven with Steamer

YCD-2D

Power : 7.0Kw/220V
Size : 1210x860x520mm

YCD 2-4D

Power : 14.0Kw/440V
Size : 1210x860x1280mm



WITH
NEW
DIGITAL PANEL

Convection Oven (with spray)

ECO-1A

Power : 2.65Kw/220V
Size : 665x620x470mm



GAS BAKING OVENS



**1 Deck
1 Tray**
gas baking
oven



**YCQ-1D (full SS)
(With Full Glass Door)**
Power : 100W
Size : 1000x760x580mm

**1 Deck
2 Tray**
gas baking
oven



YCQ-2D
Power : 100W
Size : 1330x895x680mm

**1 Deck
2 Tray**
gas baking
oven (SS body)



**YCQ-2D (full SS)
(With Full Glass Door)**
Power : 100W
Size : 1330x895x680mm

**1 Deck
2 Tray**
gas baking
oven (Digital)



YCQ-2DD (Digital)
Power : 100W
Size : 1330x895x680mm



WITH
NEW
DIGITAL PANEL

**1 Deck
3 Tray**
gas baking
oven



YCQ-3D
Power : 100W
Size : 1780x900x710mm

**2 Deck
4 Tray**
gas baking
oven



YCQ 2-4D
Power : 200W
Size : 1330x895x1460mm

**2 Deck
6 Tray**
gas baking
oven



YCQ 2-6D
Power : 200W
Size : 1780x985x1500mm

**3 Deck
6 Tray**
gas baking
oven



YCQ 3-6D
Power : 300W
Size : 1330x895x1735mm

**3 Deck
9 Tray**
gas baking
oven



**YCQ 3-9D
(Full SS Body)**
Power : 300W
Size : 1780x995x1735mm



WITH
NEW
DIGITAL PANEL





BAKING OVENS (SS 304 BODY)



YCD-2DH
(1 Deck - 2 Tray)
Power : 6.6Kw/220V
Size : 1250x820x565mm



YCQ-2DH
(1 Deck - 2 Tray)
Power : 100w/220V
Size : 1330x860x675mm



YCD 2-4DH
(2 Deck - 4 Tray)
Power : 13.2Kw/440V
Size : 1250x820x1300mm



YCQ 2-4DH
(2 Deck - 4 Tray)
Power : 200w/220V
Size : 1330x860x1495mm

Gas Baking Ovens with Steamer

YCD-2D
Power : 1.3Kw / 220V
Size : 1330x1000x680mm



BAKING OVENS WITH PROOFER (ELECTRIC) - Full SS

**1 Deck
2 Tray**

baking oven
with proofer



YCD-2DP

Power : 9.4Kw/440V

Size : 1220x850x1520mm

**2 Deck
4 Tray**

baking oven
with proofer



YCD 2-4DP

Power : 16Kw/440V

Size : 1220x850x2080mm

BAKING OVENS WITH PROOFER (GAS) - Full SS

**1 Deck
2 Tray**

baking oven
with proofer



YCQ-2DP

Power : 2.8Kw

Size : 1340x900x1620mm

**2 Deck
4 Tray**

baking oven
with proofer



YCQ 2-4DP

Power : 2.8Kw

Size : 1340x900x2120mm

ELECTRIC PROOFER



WFF-6B



WFF-13B



WFF-26B

**WFF-6B
(6 Tray)**

Power : 2.6Kw/220V
Size : 500x680x1100mm

**WFF-13B
(13 Tray)**

Power : 2.6Kw/220V
Size : 500x680x1800mm

**WFF-26B
(26 Tray)**

Power : 2.8Kw/220V
Size : 1000x680x1800mm

Planetary Mixers (Normal Series)



B5

B10

B15

B20

B25

B30



Model	Capacity		Voltage (V)	Power (W)	Weight (Kg)
	Vol.(Ltr)	Max. Kneeding (Kg)			
B-5	5	0.5	220	220	18
B-10	10	1.5	220	500	60
B-15	15	2.0	220	500	72
B-20	20	5.0	220	1100	85
B-25	25	6.5	220	1250	90
B-30	30	8.0	220	1250	95

Planetary Mixers (Deluxe Series)



B-5 Dlx

B-7 Dlx

B-10 Dlx

B-20 Dlx

B-30 Dlx

B-40 Dlx

Model	Capacity		Voltage (V)	Power (W)	Weight (Kg)
	Vol.(Ltr)	Max. Kneeding (Kg)			
B-5 Dlx	5	0.5	220	300	25
B-7 Dlx	7	0.8	220	500	40
B-10 Dlx	10	1.0	220	450	56
B-20 Dlx	20	5.0	220	750	80
B-30 Dlx	30	8.0	220	1100	90
B-40 Dlx	40	10.0	220	1100	150



Spiral Mixers (Deluxe)



DH-8



DH-20



DH-30



DH-50



YQ-S60

DH-100
(with timer)

Spiral Mixer (Normal)



H-50

Spiral Mixers (Tilting)



DH - 20AT / 30AT / 40AT

Spiral Mixers (Digital)



HS-50D

Model	Capacity Vol. (Ltr)	Max. Kneeding (Kg)	Voltage (V)	Power (W)	Weight (Kg)	Speed
DH-8	8	3	220	700	36	1
DH-20	21	8	220	1100	105	2
DH-30	35	12	220	1600	108	2
DH-50	50	21	440	2200	140	2
H-50	50	20	220	2200	155	2
YQ-S60	60	25	440	2200	204	2
DH-100	100	40	440	4500	300	2
HS-50D (Digital)	66	25	440	2800	245	2
DH-20AT	20	8	440	1500	138	2
DH-30AT	30	12	440	1500	145	2
DH-40AT	40	16	440	1500	155	2


Pizza Roller

Power : 0.37Kw
Size : 540x550x650mm




Bread Slicer

Power : 250W
Max. Qty. of slices : 1
Thickness of slice : 12mm
Weight : 70kg
Size : 730x680x900mm



Power : 370W
Max. Qty. of slices : 31
Thickness of slice : 12mm
Weight : 70kg
Size : 560x780x800mm
SS Body



Dough Divider

Dough Weight : 30-100 gms
Power : 500w
Size : 520x420x1230mm



Dough Sheeter



LSP-380A
Power : 1100W
Weight : 225kg
Size : 2000x780x1030mm



LSP-520A
Power : 1100W
Weight : 260kg
Size : 2460x880x1240mm

TSP-380
Power : 1100W
Weight : 240kg
Size : 2000x780x650mm



TSP-520
Power : 1100W
Weight : 240kg
Size : 2460x880x650mm



Waffle Baker



Round

Power : 1.2Kw
Size: 250x430x250mm



Round Double

Power : 1.2Kw
Size: 250x430x250mm



Square 2210

Power : 2.0Kw
Size: 410x305x240mm



Square 2210D

Power : 2.0Kw
Size: 445x345x240mm



Rotary (Round)

Power : 1.3Kw
Size: 490x250x350mm



Rotary (Double)

Power : 2.6Kw
Size: 490x500x350mm



Rotary (Round, Digital)

Power : 1.2Kw
Size: 430x360x290mm



Rotary (Square, Digital)

Power : 1.2Kw
Size: 430x360x290mm



Bubble Waffle

Power : 1.2Kw
Size: 420x225x290mm



Grid Waffle

Power : 1.55Kw
Size : 435x410x305mm



Candy Waffle (Butterfly)

Power : 1.75Kw
Size : 450x350x280mm



Candy Waffle (Round)

Power : 1.55Kw
Size : 410x395x305mm



Candy Waffle (Pine)

Power : 1.75Kw
Size : 450x350x280mm

Waffle Cone Baker



Round

Power : 1.2Kw
Size: 250x430x250mm



Square

Power : 1.75Kw
Size: 410x305x240mm

Churros Maker



Power : 1.55Kw
Size: 390x340x245mm

Donut Maker



Power : 1.55Kw
Size : 360x330x245mm

Candy Floss



Eco

Power : 1.20Kw
Size: 500x500x480mm




Deluxe

Power : 1.30Kw
Size: 520x520x500mm

Potato Twister



Manual



Motorised



Pan Cake Maker



Round Shape

Power : 850w
Size: 375x300x170mm

Pass Through Warmer



Power : 800w
Size: 690x630x740mm



Power : 1.6kw
Size: 1100x630x740mm

Burger Waffle Machine


Power : 1300w
Size: 470x250x300mm






Deep Fryers (Electric)

Model	Specification	Cap. (Ltr.)	Power (Kw.)	Voltage (V)	Size (mm)
PI-4L	1 Tank	4	2	220	191x420x270
EF-6L (Digital)	1 Tank	6	2.5	220	410x265x290
PI-81	1 Tank	5.5	2	220	230x420x310
PI-81A	1 Tank	5.5	2	220	230x420x310
PI-82A	2 Tank	11	2+2	220	440x430x310
PI-18A	1 Tank	11	5	220	440x430x310
PI-88A	1 Tank	8.5	3.1	220	290x460x360
PI-89A	2 Tank	17	3.1+3.1	220	580x460x360
EF-101V	1 Tank	10(V)	3.0	220	280x460x325
EF-102V	2 Tank	20(V)	3+3	220	570x460x325
EF-131	1 Tank	13(V)	3.3	220	325x505x355
EF-132V	2 Tank	26(V)	3.3+3.3	220	630x505x355
EF-161V	1 Tank	16(V)	3	220	330x525x355
EF-162V	2 Tank	16 (V)	3+3	220	640x525x355
EF-171V	1 Tank	15	3	220	295x560x350



PI 4L



PI 18A



PI 88A



PI 81A

EF 6L
(DIGITAL)PI 82A
PI 89AEF 102V
EF 132V
EF 162VEF 101V
EF 131V
EF 161V

EF 171V

Deep Fryers with Cabinets

Model	Electric Single	Electric Double	Gas Single	Gas Double
Specification	1 Tank	2 Tank	1 Tank	2 Tank
Cap. (Ltr.)	16	16+16	18	18+18
Power (Kw.)	5 Kw	5 Kw+5 Kw	-	-
Voltage (V)	220	220	-	-
Size (mm)	340x530x940	345x925x945	342x585x1025	680x615x1085



Deep Fryers (Gas)

Model	Specifications	Cap. (Ltr.)	Size (mm)
Single	1 Tank	6	290x540x470
Double	2 Tank	6+6	570x540x470
Single (Auto)	1 Tank	12	340x615x630
Double (Auto)	2 Tank	12+12	680x615x630



Single



Double



Single - Auto



Double - Auto



Conveyor Slice Toasters



TT-150

Power : 1.3Kw
Size: 290x420x390mm



TT-300

Power : 2.2Kw
Size: 370x420x390mm



TT-A150

Power : 1.3Kw
Size: 290x420x390mm



TT-A300

Power : 2.2Kw
Size: 370x420x390mm

Slice Toaster



4 Slice

Power : 1800W
with timer



6 Slice

Power : 2500W
with timer

Salamanders



with
UPPER
&
BOTTOM
Heating

936

Power : 4Kw/220V
Size: 645x320x280mm



936

Power : 2.2Kw/220V
Size: 645x320x280mm



938

Power : 2.2Kw/220V
Size: 610x400x380mm



937

Power : 4Kw/220V
Size: 840x465x490mm



450

Power : 2.8Kw/220V
Size: 510x480x520mm



600

Power : 4Kw/220V
Size: 570x480x520mm



Hamburger Warmer



Power : 700W/220V
Size: 400x440x300mm



Power : 2Kw/220V
Size: 410x700x300mm

Shawarma Machines



Electric (Small)

Power : 6Kw
Size : 670x540x780mm



Electric (Big)

Power : 9Kw
Size : 670x540x1015mm



2 Burner

Size : 670x540x670mm



3 Burner

Size : 670x540x840mm



4 Burner

Size : 670x540x1015mm

GAS RANGE

Rotisserie



GAS

Power : 190w
Size : 880x660x750mm



ELECTRIC

Power : 4.7Kw
Size : 810x660x640mm



GAS

Power : 550w
Size : 1370x620x1420mm

Gas Bar-be-que (Lava Rock)



Skewers
(Optional)




Size : 680x570x370mm
Fuel Used : LPG GAS

Bar-be-que



Motorized Rotisserie



Power : 14w
Size : 1210x480x280mm
Fuel Used : COAL

Conveyor Pizza Oven



VPS-8A

Belt Size: 12"
Power: 5.8Kw
Size: 1500x600x430mm



VPS-8B

Belt Size: 18"
Power: 7.7Kw
Size: 2080x760x430mm

Stone Pizza Oven (Gas)



(Full SS Body)

Power : 100W
Product Size : 1000x760x580mm
Stone Size : 600x400x15mm



WITH
NEW
DIGITAL PANEL

Stone Pizza Oven (Electric)

JUMBO



(Full SS Body)

Power : 6.6Kw
Product Size : 1210x810x520mm
Stone Size : 850x625x15mm



WITH
NEW
DIGITAL PANEL

Sugarcane Juicer



Power : 800W
Size: 400x460x830mm



Power : 800W
Size: 400x460x630mm



Mini Pizza Maker

Power : 2000w
Size : 570x335x170mm
Diameter : 120mm



STONE PIZZA OVENS (ELECTRIC)

(* ALL SIZES ARE IN MM)



Stone Pizza Oven Small (Full SS)
Stone Size : 400x400x15mm | Power : 1.6Kw



Stone Pizza Oven Small Double Deck (Full SS)
Stone Size : 400x400x15mm x 2 | Power : 2.4Kw



Stone Pizza Oven Medium (Full SS)
Stone Size : 500x500x15mm | Power : 2.0Kw




Stone Pizza Oven Medium Double Deck (Full SS)
Stone Size : 500x500x15mm x 2 | Power : 3Kw



Stone Pizza Oven Large (Full SS)
Stone Size : 600x600x15mm | Power : 2.2Kw



Stone Pizza Oven Large Double Deck (Full SS)
Stone Size : 600x600x15mm x 2 | Power : 3.3Kw



Product Size: 875x600x700mm

Stone Pizza Oven Big Double Deck (Full SS)
Stone Size : 425x625x15mm (2)
Power : 6.0Kw



Stone Pizza Oven Big Single Deck (Full SS)
Stone Size : 425x625x15mm | Power : 3Kw

Veg Choppers



TQ5

Power : 0.55Kw/220V
Size : 525x420x536mm



QS620B

Power : 1.1Kw/220V
Size : 775x710x940mm

Veg Cutter



HCL-300

5 Blades » 7 Blades » 8 Blades
Power : 550W
Size : 560x290x560mm



5 BLADES - SLICING & SHREDDING
7 BLADES - SLICING, SHREDDING & DICING
8 BLADES - SLICING, SHREDDING, DICING & FRENCH FRIES

Meat Mincers

#12

#22

#12

#22



MG-12

SS Body
Power : 800W
Cap : 100 Kg./Hr.



SXC-12

Inner & Outer Body full SS
Power : 650W
Cap : 120 Kg./Hr.



SXC-22

Inner & Outer Body full SS
Power : 1100W
Cap : 150 Kg./Hr.



HFM-12

SS-304 Body
Power : 800W
Capacity : 190 Kg./Hr.



HFM-22

SS-304 Body
Power : 1100W
Capacity : 230 Kg./Hr.

Meat Slicer



Dia of blade : 195mm/250mm
Slicing Thickness : 0.2-12mm
Width : 150mm | Power : 120W
Size : 520x420x380mm

Sausage Filler

SF-5L

Capacity : 5 Ltr.
Size: 300x260x620mm

SF-7L

Capacity : 7 Ltr.
Size: 300x260x720mm



Bone Saw (SS Body)



Power : 750W
Length : 1650mm
Dia : 210mm Size: 530x515x955mm

Griddle Plates (Gas)



718

Gas Griddle Plate
Size: 550x510x425mm



720

Gas Griddle Plate
Size: 730x560x430mm



722

Gas Griddle Plate
Size: 730x560x430mm



Griddle Plates (Electric)



818

Plain Griddle Plate (Small)
Power : 3Kw / 220V
Size: 550x450x235mm



821

Grooved Griddle Plate (Small)
Power : 3Kw / 220V
Size: 550x450x235mm



818-2

Half Grooved Griddle Plate (Small)
Power : 3Kw / 220V
Size: 550x450x235mm



820

Plain Griddle Plate (Big)
Power : 4.4Kw / 220V
Size: 730x520x235mm



822

Half Grooved Griddle Plate (Big)
Power : 4.4Kw / 220V
Size: 730x520x235mm



750

Plain Griddle Plate (Jumbo)
Power : 4.4Kw / 220V
Size: 750x520x310mm

Hotdog Machine

Power : 2.2Kw
Size: 590x405x510mm
● 9 Rollers
● Round glass (optional)
● Warming Cabinet



Power : 1.4Kw
Size : 585x345x405mm
● 7 Rollers



Bain Marie



2 Bowl
1/2x2
Power : 1.5Kw
Size : 553x335x300mm



3 Bowl
1/3x3
Power : 1.5Kw
Size : 553x335x300mm



4 Bowl
1/2x4
Power : 2Kw
Size : 750x680x275mm



6 Bowl
1/3x6
Power : 2Kw
Size : 750x680x275mm



3 Bowl (with glass)
1/2x3
Power : 1.5Kw
Size : 970x418x190mm



4 Bowl (with glass)
1/2x4
Power : 1.5Kw
Size : 1240x418x190mm



5 Bowl (with glass)
1/2x5
Power : 1.8Kw
Size : 1500x418x190mm

Coffee Warmer



Power : 160w
Size : 380x200x40mm

Nachos Warmer



Power : 300w
Size : 405x395x555mm

Glass Displays



Capacity : 25 ltrs.
Size : 554x376x311mm



Capacity : 45 ltrs.
Size : 554x376x376mm

Corn Steamer

Power : 2500w



Electric Bar-be-que

Power : 3Kw
Size : 600x480x230mm



Momo Steamer



Power : 1500w
Size of pan: 34 cms
Layers : 2



Power : 4200w
Size of pan: 47 cms
Layers : 4



Power : 1000w
Size : 360x430x750mm

Popcorn Machines



**Popcorn Machine
Big**

Power : 1.7Kw
Size: 900x420x760mm
Capacity : 16 oz.



**Popcorn Machine
ECO**

Power : 1.3Kw
Size: 560x420x680mm
Capacity : 8 oz.



**Popcorn Machine
Deluxe**

Power : 1.35Kw
Size: 560x420x770mm
Capacity : 8 oz.



**Popcorn Display
Warmer**

Power : 1.3Kw
Size: 470x450x460mm
Capacity : 70 ltrs. with 2 compartments



Popcorn Cart

(Only for 8 oz. machines)



**Popcorn Machine
(GAS)**

Power : 50w
Size: 515x395x700mm
Capacity : 8 oz.



Kitchen Timer

Power : 3W
No. of Channels : 6
Size: 200x130x35mm

Water Boilers

(with SS-304 Inner Layer)



WB-10

Power : 1600W
Volume : 10 Ltrs.
Size: 275x275x530mm



WB-20

Power : 1800W
Volume : 20 Ltrs.
Size: 325x325x635mm



WB-25

Power : 1800W
Volume : 25 Ltrs.
Size: 325x325x635mm



WB-40

Power : 2500W
Volume : 40 Ltrs.
Size: 385x485x635mm



WB-30

Power : 2500W
Volume : 30Ltrs.
Size: 390x390x420mm



Cup Warmer



Power : 140W
Size: 320x320x545mm

Plate Warmer (Imported)



Capacity : 50 Plates
Power : 400W
Size : 500x580x960mm



Capacity : 100 Plates
Power : 800W
Size : 500x1050x960mm

Plate Warmer (Under Counter Type)



Capacity : 50 Plates
Power : 500W

Plate Warmer (Table Top)



Capacity : 50 Plates
Power : 210W
Size : 395x430x695mm



Soup Kettles



SB-6000

MS Body
Power : 400W
Capacity : 10Ltr.
Size: 340x340x395mm



SB-6000S

SS Body
Power : 400W
Capacity : 10Ltr.
Size: 340x340x395mm



SB-6000L

MS Body & Digital
Power : 400W
Capacity : 10Ltr.
Size: 340x340x395mm



ECO

MS Body
Power : 400W
Capacity : 10Ltr.
Size: 350x350x380mm



Food Warmers



1 LAMP with PAN

Power : 250W
Size : 465x590x720mm



SINGLE LAMP with Base

Power : 650W
Size : 730x580x550mm



GLASS - 2 LAMP

Power : 1000W
Size : 780x530x700mm



GLASS - 3 LAMP

Power : 1400W
Size : 1070x530x700mm



LUXURY - 2 LAMP STONE

Power : 800W
Size : 550x500x750mm



LUXURY - 2 LAMP (Glass)

Power : 500W
Size : 600x750x730mm



2 LAMP (Single Slot)

Power : 1100W
Size : 500x700x650mm



2 LAMP (Double Slot)

Power : 1100W
Size : 500x700x650mm



SINGLE LAMP without Base

Power : 650W
Size : 730x580x550mm

HANGING LAMPS



Power : 250W
Retractable size range
400-1500mm



Power : 250W
Diameter Φ : 190mm
Height : 600-1800mm

Potato Peeler



TP-350

(SS 304 Body)

Power : 1100w/220V

Capacity : 75kg/hr.

Size : 686x500x852mm



TP-450

(SS 304 Body)

Power : 1500w/220V

Capacity : 110kg/hr.

Size : 742x582x960mm



Patty Press



Size : 235x230x275mm

Tomato Slicer



Pasta & Noodle Boiler



4 Basket

Power : 4Kw

Size : 600x465x280mm

Baskets : 4

Roaster

Power : 3Kw

Size : 460x435x520mm



Food Dehydrator



STAINLESS

STEEL BODY

10 Trays

Power : 800W

Trays : 10

Trey Size : 300x280mm

Temp. Range : 30-90°C

Size: 345x395x427mm



STAINLESS

STEEL BODY

16 Trays

Power : 1500W

Trays : 16

Trey Size : 400x380mm

Temp. Range : 30-90°C

Size: 465x570x670mm

Softy Machines

Power : 1.95Kw
Output : 20-25 Ltr./Hr.
Size : 540x720x850mm
Refrigerant : R-404A
Flavours : 2+1



Power : 1.95Kw
Output : 20-25 Ltr./Hr.
Size : 540x720x1380mm
Refrigerant : R-404A
Flavours : 2+1



FULL SS BODY - ECO

Power : 1.85Kw
Output : 16-18 Ltr./Hr.
Size : 540x705x1177mm
Refrigerant : R-410A
Flavours : 2+1



Power : 1.50Kw
Output : 16-18 Ltr./Hr.
Size : 500x790x850mm
Refrigerant : R-410A
Flavours : 1



Ice Cube Machine



MQ-20

Prod. Cap. : 20Kg/24Hr
Storage Cap. : 13Kg
Power : 320W
Size : 415x500x750mm



MQ-40

Prod. Cap.: 40Kg/24Hr
Storage Cap. : 18Kg
Power : 420W
Size : 510x550x750mm



MQ-60

Prod. Cap.: 60Kg/24Hr
Storage Cap. : 40Kg
Power : 580W
Size : 700x580x990mm

Ice Cube Machine (Table top)



Power : 105W
Productivity : 16kg/24hr.
Size : 390x265x364mm



Cold Juice Dispensers (Refrigerated)

with mixer



1 Tank

Capacity : 18 Ltr.
Power : 300W/220V
Size: 470x450x710mm



2 Tank

Capacity : 2x18 Ltr.
Power : 300W/220V
Size: 470x450x710mm



3 Tank

Capacity : 3x18 Ltr.
Power : 350W/220V
Size: 750x470x740mm



1 Tank

Capacity : 12 Ltr.
Power : 200W/220V
Size: 360x470x720mm



2 Tank

Capacity : 2x12 Ltr.
Power : 200W/220V
Size: 360x470x720mm



3 Tank

Capacity : 3x12 Ltr.
Power : 460W/220V
Size: 610x460x710mm



2 Tank

Capacity : 2x9 Ltr.
Power : 200W/220V
Size: 360x470x720mm



Slush Machines



(1 Tank)



(2 Tank)

1 Tank

Jar Capacity : 15 ltrs./jar
Power : 500w
Size : 430x500x750mm

2 Tank

Jar Capacity : 15 ltrs./jar
Power : 700w
Size : 480x630x840mm



Fried Ice Cream Machine



Power : 1200W
Pan Size : 500x500x20mm
Size : 620x760x1200mm

TABLE TOP COLD DISPLAY

Pastry Display



ECO

Capacity : 100 ltrs.
Power : 195w/220V
Size : 705x472x687mm



DELUXE

Capacity : 100 ltrs.
Power : 160w/220V
Size : 695x470x685mm




DELUXE (Big)

Capacity : 160 ltrs.
Power : 250w/220V
Size : 880x468x686mm

Power : 150w/220V
Size : 1309x395x375mm
GN Pans : 5 nos.
Refrigeration Temperature (C) : 0-12

Sushi Showcase



With
Two Levels



Power : 180w/220V
Size : 1307x450x330mm
GN Pans : 5 nos.
Refrigeration Temperature (°C) : 0-12



Cold Display

Power : 110w/220V
Size : 695x882x417mm



Ice Cream Counter

Capacity : 8x1/6GN pan
Defrost : AUTOMATIC
Power : 140w/220V
Size : 805x670x360mm



Bottle Fridge

Power : 180w/220V
Size : 428x386x960mm



Cake Display

Power : 190w/220V
Size : 504x504x1060mm



Salad Counters



5 PAN

Capacity : 5x1/3GN pan
Power : 125w/220V
Size : 1200x395x225mm


7 PAN

Capacity : 7x1/3GN pan
Power : 125w/220V
Size : 1500x395x225mm

Commercial Inductions



Power : 3.5Kw
Size: 420x330x100mm




Power : 3.5Kw
Size: 420x330x100mm




Power : 5Kw
Size: 400x500x270mm



Power : 5Kw
Size: 500x380x200mm



Power : 5Kw
Size: 500x380x200mm



Commercial Induction Wok

PI-8CP-02

Power : 8kW
Size : 800x900x1200mm

PI-12CP-02

Power : 12kW
Size : 800x900x1200mm



Commercial Induction Stock Pot Plate

PI-8CW-02

Power : 8kW
Size : 650x750x1200mm

PI-12CW-02

Power : 12kW
Size : 650x750x1200mm



Induction Cooker 4 Zone Table Top

Power : 4x3.5KW
Size : 740x840x300mm



Table Top Food Warmer

PLATE

Power : 260W
Size : 565x380x75mm
Temp. Range : 0-85°C



Our Business Associates

STELLA^{DEXIN}

SPAR MIXER
SPAR

ACE^{PLUS}

MERRYCHEF[®]

CONVO^{THERM}

Lincoln[®]

Mycook

JTC
OmniBlend

ROWZER
PLUS

IDEAL
SINCE 1954

DIHR
we mean clean

ITV | ICEmakers

T&S

Antunes
EXPECT SUCCESS

ALTO-SHAAM[®]

& we are growing...

STELLA[®]DEXIN


with
**ANTI EDGE
CHIPPING GLASS**

with
**TEMPERATURE
MODE**



POPULAR
Buffet Induction

TS-678



TS-678

With Anti Edge Chipping Glass

Power : 2.2Kw

Size : 316x316mm

Size of Control Box : 128x42mm

with
**ANTI EDGE
CHIPPING GLASS**


with
**TEMPERATURE
MODE**



POPULAR
Buffet Induction

with
**SCHOTT
CERAN[®]
GLASS**

TS-678



TS-678

With Anti Edge Chipping Glass

Power : 2.2Kw

Size : 316x316mm


Size of Control Box : 128x42mm

with
**ANTI EDGE
CHIPPING GLASS**

with
**TEMPERATURE
MODE**



TS-22C01A



TS-22C01A

With Anti Edge Chipping Glass

Power : 2.2Kw

Size : 302x374x80mm

Cutout Size : 280x355mm


POPULAR
Buffet Induction



**NEW
POPULAR**
Buffet Induction



TS-26C01



TS-26C01

Power : 2.6Kw

Size : 300x450x80mm

Cutout Size : 270x420mm




TS-3503

Power : 3.5Kw

Size : 360x360x95mm

Cutout Size : 338x338mm

TS-3503




TS-35C06

Power : 3.5Kw


Size : 350x435x150mm

Cutout Size : 330x410mm

TS-35C06



**NEW
POPULAR**
Buffet Induction




TS-20C08

Power : 2Kw

Size : 300x300x70mm

Size of Control Box : 128x42mm

TS-20C08



STELLA[®]DEXIN



TS-3501

Power : 3.5Kw
Size : 410x380x95mm



TS-3502

Power : 3.5Kw
Size : 410x380x135mm



TS-50C01A

Power : 5Kw
Size : 350x410x105mm



TS-3501TPX

(With Food Temperature Probe)

Power : 3.5Kw
Size : 410x380x95mm



TS-30C01

Power : 3.0Kw
Size : $\phi 328 \times H90$ mm
Embedded Size : $\phi 318$ mm
Size of Control Box : 128x42mm



TS-21C02A

Power : 2.1Kw
Size : 400x300x40mm

DOUBLE INDUCTION



○○
HORIZONTAL

TS-34C01

Power : 3.4Kw
Size : 735x435x65mm
Cutout Size : 680x400mm



WITH
**SCHOTT
CERAN[®]
GLASS**

○○
VERTICAL

TS-32C01

Power : 3.2Kw
Size : 290x510x80mm
Cutout Size : 264x488mm


STELLA[®]DEXIN



TS-50B1-P1

Power : 5Kw
Size : 398x398x180mm
Cutout Size : 370x370mm


TS-50B1-P1



TS-50B1-W2

Power : 5Kw
Size : 398x398x180mm
Cutout Size : 370x370mm

TS-50B1-W2



Small Induction Griddle Plate

TS-18C05

Power : 1800W
Size : 394x389x56mm

Warming Station



DX-800R1

With Anti Edge Chipping Glass

Power : 800W
Size : 604x461mm
Cutout size : 565x461mm



DX-1200R1

With Anti Edge Chipping Glass

Power : 1200W
Size : 902x459mm
Cutout size : 892x449mm

STELLA[®]DEXIN



TSD-8C1

Power : 8Kw/440V
Size : 600x700mm



TSD-8A1

Power : 8Kw/440V
Size : 750x750mm



TSD-2D4

Power : 2.5Kw x 4 / 440V
Size : 760x850mm

TSD-12C1

Power : 12Kw/440V
Size : 600x700mm

TSD-12A1

Power : 12Kw/440V
Size : 750x750mm

TSD-3D4

Power : 3.5Kw x 4 / 440V
Size : 840x900mm



TS-3504DX (SS-304 Body)

Power : 3.5x4Kw/415~440V (3 Phase)
Size : 800x800x260mm



COMMERCIAL Infrared



TS-24R02

Power : 2.4Kw
Size : 300x300mm
Size of Control Box : 128x42mm



TS-24R01

Power : 2.4Kw
Size : 390x310mm
Cutout size : 270x290mm

STELLA[®]DEXIN

Meat Mincer



TSM-22DX

Power : 800W/220~240V
Capacity : 220 Kg./Hr
Size : 50x27x55cm



TSM-12DX


Power : 800W/220~240V
Capacity : 220 Kg./Hr
Size : 44.3x27x50.5cm

Hanging Lamp



TS-HL-100B (Black)

Power : 250W/220~240V
Diameter : 250mm
Size : 50x27x55cm



TS-HL-100C (Copper)

Power : 250W/220~240V
Diameter : 250mm
Size : 50x27x55cm



Mixing Tumbler PI 211

(Roller Type Vol. 20L)

Power : 200W / 220V
Size : 900x405x820mm



Oil Filter PI-302

(Vol. 43 L)

Power : 370W / 220V
Size : 450x860x820mm



French Fries Station PI-426

(With 3 Lamps)

Power : 750W / 220V
Size : 600x700x1560mm



Electric Deep Fryer PI 102

(Computer Controlled Panel)
Small Double Tank Vol. 28L

Power : 18Kw / 440V
Size : 400x800x1100mm



Holding Cabinet PI-296

9-Layer Stainless Steel
Basin Adjustable Temperature

Power : 2.5Kw / 220V
Tray 9 nos. : 1x1
Size : 620x870x1810mm



JTC

OmniBlend

3HP HIGH EFFICIENT MOTOR



TM 788A
Jar Capacity : 1.5 Ltr



TM 767A
Jar Capacity : 1.5 Ltr



TM 767
Jar Capacity : 2 Ltr



TM 800A
Jar Capacity : 1.5 Ltr



Now Available



Colourful Jars also



TM 800AQ
Jar Capacity : 1.5 Ltr



SPAR MIXER

SPAR



SP-502B



SP-502A

WITH
DIGITAL
TIMER

SP-800B



SP-800A

WITH
DIGITAL
TIMER

SAFETY GUARD (OPTIONAL) FOR SP-502B / SP-800B



SP-200A



SP-25MA



SP-22HA

SP-30HA
SP-40HA

SP-34MA



SP-34HA

REMOVABLE PROTECTION GRILL
ONLY IN SPAR

Model	Capacity		Voltage (V)	Power	Weight (Kg)
	Vol.(Ltr)	Max. Kneeding (Kg)			
SP-502	5	1	220	750W	15
SP-800	8	1.2	220	1/3HP	25
SP-200A	20	6	220	1/2HP	90
SP-25MA	25	6.5	220	3/4HP	110
SP-22HA	25	6.5	220	3/4HP	120
SP-30HA	30	10	440	1HP	200
SP-34MA	40	11	440	1.25HP	220
SP-34HA	40	11	440	1.25HP	220
SP-40HA	40	11	440	1.5HP	270
SP-60HA	60	27	440	3.00HP	285



SP-60HA

WITH
DIGITAL
TIMER

Dough Sheeter

SPAR MIXER
SPAR



FA-520B

Power : ½HP
Size : 2100x850x1100mm
Conveyor Size : 515x2000mm



FA-450A

Power : ½HP
Size : 1800x760x600mm
Conveyor Size : 430x1700mm



FA-520A

Power : ½HP
Size : 1800x850x600mm
Conveyor Size : 515x1700mm



Spiral Mixers



KL-015

Flour Capacity : 15kg
Power : 3½ HP
Size : 980x600x1090mm



KL-200

Flour Capacity : 25kg
Power : 3½ HP
Size : 980x600x1090mm



KL-201

Flour Capacity : 50kg
Power : 6¼ HP
Size : 1100x680x1175mm

Bread Slicer



TA-AL

Blades : 31
Thickness : 12mm
Power : ¼HP
Size : 740x630x740mm
Loft Height : 140mm

TA-AXL

Blades : 39
Thickness : 12mm
Power : ¼HP
Size : 740x730x740mm
Loft Height : 150mm

Slice upto 240 Lofts in 1hr.



ROWZER PLUS

Frozen Food Processor with Brushless Motor

Rowzer Plus

Beaker Capacity : 1 ltr.
 Max. Fill Volume 0.8L
 Air Pressure : 1 Bar
 Ideal Food Temp : -22°C / -76°F
 Nominal Power : Available in 2 versions
 220-240V, 1000W, 50/60Hz
 120V, 1000W, 60Hz
 Blade Speed : 2.000 rpm
 Size : 475x190x395mm



Mycook

The Professional Induction-Heated Kitchen Robot

My Cook 1.8

Jar Capacity : 2 ltr.
 Total Power : 1800W
 Heating Power : 1000W
 Engine : 800W
 Size : 290x350x270mm
 Blade Speed : 2.000 rpm
 Rpm : From 100 upto 11500
 Speed : 10 and Turbo Functions
 Temp. Max 120°C
 Timer : 90mins.



IDEAL



D24 Pro
(SINGLE GROUP)



D24
(SINGLE GROUP)



La Bella
(DOUBLE GROUP)



IDCG8020
(COFFEE GRINDER)
Available in 0.5 & 1kg

OPTIONAL ACCESSORIES



Weighing Scale



Tamping Matt



Temperature Pitcher



Frothing Pitcher



Descaling Powder



58mm Temper



Knock Box

Lincoln®

Digital Countertop

Impinger® Conveyor Oven



Model Number	Width (31" Conveyor)	Width (50" Conveyor)	Depth	Height Single Stack	Height Double Stack	Input Rate	Volts	Amps	Phase	Hz
2504	35 3/8" (899 mm)	50" (1270 mm)	31 1/4" (797 mm)	18" (457 mm)	32" (813 mm)	6 kW	240	25	1	50



Vertical Contact Toaster | VCT



VCT-35



VCT-2000

Specifications

Model & Mfg. No.	Pass Through Time	Volts	Watts	Amps	Hertz	Plug Description
VCT-35	17 sec.	208-240	2600-3460	12.5	50/60	CEE 7/7 16 Amp., 250 Volt
VCT-2000		220-240	3019-3593	13.7-15	50	CEE 7/7 16 Amp., 250 Volt

Dimensions

Model & Mfg. No.	Width (A)	Depth (B)	Height (C)
VCT-35	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)
VCT-2000	21 1/4" (540 mm)	15 1/4" (387 mm)	23 1/4" (591 mm)



Dial A Cup Dispensers | DAC



New design available with Metal Clips that do not leave marks or imprints on paper foam cups.

LS-30



DAC-5

Model	Item Description	Width	Depth	Height	Collar Dia.	Tube Dia.	Tube Lg.	Cup Size Range	Shipping Weight
LS-30	Three DAC-10 components and four compartments (three lids, one straws)	15" (381 mm)	24" (610 mm)	28" (711 mm)	8 1/4" (209 mm)	5 7/8" (149 mm)	23" (584 mm)	8 oz. to 64 oz.	44 lbs. (20 kg)

Model	Item Description	Collar Dia.	Tube Dia.	Tube Lg.	Cup Rim Diameter	Cup Size Range (oz.)	Shipping Weight
DAC-5	Individual DAC-5 component	7 1/4" (185 mm)	5 9/16" (140 mm)	22 3/4" (578 mm)	2 3/4" to 4 1/4" (70 mm to 108 mm)	8 oz. to 32 oz.	5 lbs. (3 kg)



Rapid Steamer | RS-1000

Dimensions & Electrical Ratings

Width (A)	Depth (B)	Height (C)	Volts	Watts	Amps	Hertz
17.39" (441.7 mm)	16.86" (428.2 mm)	12.79" (324.9 mm)	200-240	5000	30	50/60



DFW Deluxe Food Warmer | DFW-150

Dimensions & Electrical Ratings

Width (A)	Depth (B)	Height (C)	Volts	Watts	Amps	Hertz
16 5/8" (422 mm)	17 1/4" (438 mm)	8 3/4" (222 mm)	230	2800	12.2	50/60

MERRYCHEF®
A Welbilt Brand

Merrychef eikon® e1s
Ideal for cafes and bars



Merrychef eikon® e4
Ideal for cafés, bars, restaurants and hotels



Merrychef eikon® e3
Cafés, bars and bakeries



Merrychef eikon® e2s
Ideal for cafés, bars, convenience stores and quick service outlets



Merrychef eikon® e4s
Ideal for quick service outlets and convenience stores

	e1s	e2s SP	e2s HP	e4	e4s	e3
Technology						
Convection, microwave and impingement	✓	✓	✓	✓	✓	
Convection and microwave						✓
Cooking speeds vs other cooking methods						
Up to 20x faster			✓			
Up to 15x faster					✓	
Up to 12x faster		✓		✓		
Up to 10x faster	✓					
Up to 5x faster						✓
Average number of cooks per day:	50-100	100-150	150+	150+	150+	
Cooking methods						
Toasting, grilling, reheating, cooking	✓	✓	✓	✓	✓	✓
Baking						✓
12" pizza	✓	✓	✓	✓	✓	
Higher protein throughput				✓		
Outlet suitability						
Cafés and bars	✓	✓	✓	✓		✓
Quick service		✓	✓		✓	
Convenience stores			✓		✓	
Restaurants and hotels				✓		
Bakeries						✓
Cavity sizes in millimetres	311mm x 311mm	311mm x 311mm	311mm x 311mm	375mm x 312mm	375mm x 370mm	332mm x 325mm
EU plug current requirements	16A	16A	16A/32A	32A	32A	16A/32A



CMX ET 6.10 ES



CMX ET 10.10 ES


MAXX PRO
C4ET 10.10 EB

	CMX ET 6.10 ES	CMX ET 10.10 ES	MAXX PRO C4ET 10.10 EB
Dimensions (WxDxH)	875 x 797 x 794 mm	875 x 797 x 1066 mm	1000 x 940 x 1300 mm
Loading capacity (GN)	6+1	10+1	10+1
Shelf spacing	68 mm	68 mm	68 mm
Frequency	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz
Voltage	3N~ 380-415V	3N~ 380-415V	3N~ 400 V
Rated power consumption	9.6 - 11.3 kW	17.2 - 20.4 kW	19.5 kW
Weight	104 kg	125.5 kg	142 kg





RELIABILITY BUILT IN™



Equip Pre-Rinse Units

Model	Spray Valve	Spray Valve Flow Rate	Add-On Faucet	Add-On Faucet Flow Rate	Handle
5PR-1S00	5SV	4.35 L/min (1.15 GPM)	—	—	Lever
5PR-2S00	5SV	4.35 L/min (1.15 GPM)	—	—	Lever
5PR-2S12	5SV	4.35 L/min (1.15 GPM)	30 cm (12")	Full flow	Lever
5PR-8W12	5SV	4.35 L/min (1.15 GPM)	30 cm (12")	Full flow	Lever

THE
utilityline



EX-6WP00-H

- Two-hole, 15 cm (6") wall-mount single-lever mixing with full-flow spray valve, and wall bracket

EX-6WP12-H

- Two-hole, 15 cm (6") wall-mount single-lever mixing with full-flow spray valve, wall bracket, and 30 cm (12") add-on faucet

EX-1DP00-H

- Single-hole, single-lever deck-mount mixing, with full-flow spray valve and wall bracket

EX-1DP12-H

- Single-hole, single-lever deck-mount mixing, with full-flow spray valve, wall bracket, and 30 cm (12") add-on faucet

T&S 9.5 mm (3/8") Hose Reels Enclosed and Open Models



B-7122-C01 | B-7232-01

B-7122-C01

- Stainless Steel enclosed 9m (30') hose reel, 9.5 mm (3/8") hose diameter, & EB-0107 high-flow spray valve

B-7232-01

- Epoxy-coated open 35' (10.7 m) hose reel, 9.5 mm (3/8") hose diameter, & EB-0107 high-flow spray valve



5HR-232-01 and 5HR-242-01

5HR-232-01

- Black epoxy-coated 35' (10 m), with 9mm (3/8") hose diameter, 15 L/min (4.0 GPM+) spray valve

5HR-242-01

- Black epoxy-coated 50' (15 m), with 9 mm (3/8") hose diameter, 15 L/min (4.0 GPM+) spray valve

ALTO-SHAAM®

HEATED HOLDING CABINETS



Model 500-S

Capacity : 6 Gn 1/1 65mm
 Dims : HxWxD 809 x 6483 x 675 mm
 Power : 230v, 1Ph, 50/60hz
 Connected Load : 0.95 kW
 Shipping Weight : 68 Kg
 Net Weight : 50 Kg
 Includes 2 Wire Shelves



Model 750-S

Capacity : 10 GN 1/1 65mm
 Dims : HxWxD 809 x 676 x 797 mm
 Power : 230V, 1Ph, 50/60Hz
 Connected load : 1 kW
 Shipping Weight : 103 Kg
 Net Weight : 71 Kg
 Includes 3 wire shelves.



Model 1200-S

Capacity : 16 GN 1/1 65mm
 Dims : HxWxD 1117 x 671 x 817 mm
 Power : 230V, 1Ph, 50/60Hz
 Connected load : 0.88 kW
 Shipping Weight : 109 Kg
 Net Weight : 81Kg
 Includes 3 wire shelves.



Model 1200-UP

Max Capacity : Total 32 GN 1/1 65mm
 or 16 GN 1/1 65mm per compartment
 or Total 16 GN 2/1 65mm

Dims : H x W x D 1924 x 671 x 817 mm
 Power : 230V, 1Ph, 50/60Hz
 Connected load : 1.8 kW
 (3.5 kW also available)

Shipping Weight : 178 Kg
 Net Weight : 151 Kg
 Includes total 6 wire shelves



Features

- Features Halo Heat technology for precise temperatures
- Temp Range: 16°C to 93°C
- Temp Spread: 1~3 °C
- Maintains precise temperatures
- No Fan to dry out food
- 0.5Kw Energy efficient
- Vents to regulate the moisture content
- Veg / Non-Veg possible in double door units
- Optional Pass-through
- Optional Handles & Bumpers

ALTO-SHAAM®

DRAWER WARMERS



Options:

- 1, 2, 3 drawer capacity
- Wide or Narrow
- Vents or no vent
- Individual controls – 2D model only
- Made in India Models
- (500-1D (Vented), 500-2D (Vented), 500-3D (Vented), 500-1D (Non-Vented), 500-2D (Non-Vented), 500-3D (Non-Vented))



CARVING STATIONS



16 Kg Capacity



32 Kg Capacity



OUR BRANDS

EXCLUSIVE DEALER (PAN INDIA)



AUTHORISED DEALER



EQUIPMENTS FOR

HOTELS | RESTAURANTS | SWEET SHOPS | CATERING
| CANTEENS | FAST FOOD | BAKERY | BANQUETS



PRODUCTS & IDEAS (INDIA) PVT. LTD.

28/6/5, (Opp. MCD Primary School), Badli Village, Delhi-110042 (INDIA)

9650366044, 9599890055, 9650366022, 9650366033, 9560480111

productsandideas@yahoo.co.in, info@pi-india.com | www.pi-india.com



ALSO AVAILABLE ON indiamart